



FOOT PROTECTION

- RAIN BOOT
- SAFETY SHOE

































10

2015

<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1001A PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1001B PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1001C PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1001D PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:40-46 HEIGH:36-38CM</p>  <p>T-1004A PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>	<p>SIZE:40-46 HEIGH:36-38CM</p>  <p>T-1004B PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>	<p>SIZE:40-47 HEIGH:36-38CM</p>  <p>T-1004C PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>	<p>SIZE:39-47 HEIGH:36-41CM</p>  <p>T-1005A PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>
<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-100AE PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1002A PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1002B PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1002C PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:39-47 HEIGH:36-41CM</p>  <p>T-1005B PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>	<p>SIZE:39-47 HEIGH:36-41CM</p>  <p>T-1005C PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>	<p>SIZE:39-47 HEIGH:36-41CM</p>  <p>T-1006 PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X48cm N.W: 16KG</p>	<p>SIZE:36-41 HEIGH:35CM</p>  <p>T-1007A PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 57X37X45cm N.W: 16KG</p>
<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1002D PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1002E PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1003A PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1003B PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:36-41 HEIGH:35CM</p>  <p>T-1007B PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 37X37X45cm N.W: 16KG</p>	<p>SIZE:36-41 HEIGH:35CM</p>  <p>T-1007C PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 37X37X45cm N.W: 16KG</p>		
<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1003C PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1003D PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGHT:37-41CM</p>  <p>T-1003E PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X43cm N.W: 16KG</p>		<p>SIZE:36-41 HEIGH:35CM</p>  <p>T-1007D PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 37X37X45cm N.W: 16KG</p>	<p>SIZE:38-47 HEIGH:37-41CM</p>  <p>T-1008 PVC RAIN BOOT PCS/CTN: 10 G.W: 17KG CARTON SIZE: 50X30X44cm N.W: 16KG</p>		

































CHINA OFFICE:
 RIWIN INDUSTRIAL CO., LTD.
 RM 513-2E, ZHONGXING ROAD,JIANGDONG DISTRICT,NINGBO
 TEL: 86 574 87801292 FAX: 86 574 87801297
 E-mail: info@riwin.net

LATIN AMERICA OFFICE:
 REDCO
 DEALER DISTRIBUTOR FOR LATIN AMERICA
 OFFICE SALES: PANAMA CITY
 E-MAIL: sales-usa@riwin.net
 redcomarketing@aol.com

<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2001 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2002 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2003 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2004 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2017 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>	<p>size:39-46 Material:Embossed,Leather,Pu Injection sole</p>  <p>T-2018 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>	<p>size:39-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2019 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2020 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>
<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2005 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2006 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2007 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2008 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2021 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2022 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2023 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 16KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2024 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 60X40X35cm N.W: 16KG</p>
<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2009 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2010 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2011 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2012 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:36-46 Material:buffed, Leather, Dual density pu Sole</p>  <p>T-2025 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 60X40X35cm N.W: 16KG</p>	<p>size:36-46 Material:The first layer of light yellow Smooth leather Pu Injection Sole</p>  <p>T-2026 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 60X40X35cm N.W: 16KG</p>	<p>size:36-46 Material:Inverse fluff cowskin Pu Injection Sole</p>  <p>T-2027 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 60X40X35cm N.W: 16KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2028 SAFETY SHOE PCS/CTN: 10 G.W: 17KG CARTON SIZE: 60X40X35cm N.W: 16KG</p>
<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2013 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 61.5X42.5X32.5cm N.W: 11KG</p>	<p>size:37-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2014 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 59X41X32cm N.W: 11KG</p>	<p>size:37-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2015 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 59X41X32cm N.W: 11KG</p>	<p>size:37-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2016 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2029 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG</p>	<p>size:36-46 Material:Suede, Leather, Pu Injection Sole</p>  <p>T-2030 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2031 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2032 SAFETY SHOE PCS/CTN: 10 G.W: 14KG CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG</p>

CHINA OFFICE:
 RIWIN INDUSTRIAL CO., LTD.
 RM 513-2E, ZHONGXING ROAD,JIANGDONG DISTRICT,NINGBO
 TEL: 86 574 87801292 FAX: 86 574 87801297
 E-mail: info@riwin.net

LATIN AMERICA OFFICE:
 REDCO
 DEALER DISTRIBUTOR FOR LATIN AMERICA
 OFFICE SALES: PANAMA CITY
 E-MAIL: sales-usa@riwin.net
 redcomarketing@aol.com

<p>size:39-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2033 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2034 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:The first layer of embossed leather pu injection Sole</p>  <p>T-2035 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:38-46 Material:Inverse fluff cowskin,Pu Injection Sole</p>  <p>T-2036 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-45 Material:White refacing cowskin,pvc Sole</p>  <p>T-2049 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:Refacing cowskin,Rubber Sole</p>  <p>T-2050 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2051 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:The first Layer of embossed leather rubber Sole</p>  <p>T-2052 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>
<p>size:36-46 Material:Inverse fluff cowskin,Pu Injection Sole</p>  <p>T-2037 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:Red Embossed, Leather, Pu Injection Sole</p>  <p>T-2038 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2039 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:Inverse fluff ,Pu Injection Sole</p>  <p>T-2040 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-45 Material:Inverse fluff cowskin,Rubber Sole</p>  <p>T-2053 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2054 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:Inverse fluff cowskin,Rubber Sole</p>  <p>T-2055 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:Inverse fluff cowskin,Rubber Sole</p>  <p>T-2056 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 60X40X35cm</p>
<p>size:38-46 Material:The first layer of embossed leather Pu Injection Sole</p>  <p>T-2041 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:38-46 Material:Inverse fluff cowskin,Pu Injection Sole</p>  <p>T-2042 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2043 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2044 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2057 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2058 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:embossed, Leather, Rubber Sole</p>  <p>T-2059 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:Inverse fluff cowskin,Rubber Sole</p>  <p>T-2060 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>
<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2045 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2046 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:36-46 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2047 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 61.5X42.5X32.5cm</p>	<p>size:35-47 Material:embossed, Leather, Pu Injection Sole</p>  <p>T-2048 SAFETY SHOE PCS/CTN: 10 G.W: 17KG N.W: 16KG CARTON SIZE: 59X41X32cm</p>	<p>size:36-46 Material:The first Layer of embossed leather rubber Sole</p>  <p>T-2061 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:Inverse fluff cowskin,Rubber Sole</p>  <p>T-2062 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:Inverse fluff cowskin,Rubber Sole</p>  <p>T-2063 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>	<p>size:36-46 Material:rubuck leather Rubber Sole</p>  <p>T-2064 SAFETY SHOE PCS/CTN: 10 G.W: 14KG N.W: 11KG CARTON SIZE: 64.5X45.5X35.5cm</p>

CHINA OFFICE:
 RIWIN INDUSTRIAL CO., LTD.
 RM 513-2E, ZHONGXING ROAD,JIANGDONG DISTRICT,NINGBO
 TEL: 86 574 87801292 FAX: 86 574 87801297
 E-mail: info@riwin.net

LATIN AMERICA OFFICE:
 REDCO
 DEALER DISTRIBUTOR FOR LATIN AMERICA
 OFFICE SALES: PANAMA CITY
 E-MAIL: sales-usa@riwin.net
 redcomarketing@aol.com

size:36-46
 Material:nubuck leather Rubber Sole



T-2065
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:nubuck leather Rubber Sole



T-2066
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:embossed, Leather, Thermoplastic Sole



T-2067
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:embossed, Leather, Rubber Sole



T-2068
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:Inverse fluff cowskin,Pu Injection Sole



T-2069
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:embossed, Leather, Pu Injection. Sole



T-2070
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:embossed, Leather, Pu Injection Sole



T-2071
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:Refacing, cowskin, Rubber Sole



T-2072
 SAFETY SHOE
 PCS/CTN: 10 G.W: 14KG
 CARTON SIZE: 64.5X45.5X35.5cm N.W: 11KG

size:36-46
 Material:embossed, Leather, Pu Injection. Sole



T-2073
 SAFETY BOOT
 PCS/CTN: 10 G.W: 17KG
 CARTON SIZE: 60X40X35cm N.W: 16KG

size:36-46
 Material:embossed, Leather, Pu Injection Sole



T-2074
 SAFETY BOOT
 PCS/CTN: 10 G.W: 17KG
 CARTON SIZE: 60X40X35cm N.W: 16KG

size:36-46
 Material:The first layer of embossed leather rubber Sole



T-2075
 SAFETY BOOT
 PCS/CTN: 10 G.W: 17KG
 CARTON SIZE: 60X40X35cm N.W: 16KG

size:36-46
 Material:Embossed Leather Pu Injection sole



T-2076
 SAFETY BOOT
 PCS/CTN: 10 G.W: 17KG
 CARTON SIZE: 60X40X35cm N.W: 16KG

size:36-46
 Material:Embossed Leather Rubber Sole



T-2077
 PVC RAIN BOOT
 PCS/CTN: 10 G.W: 17KG
 CARTON SIZE: 60X40X35cm N.W: 16KG

